




MISCELLANEOUS PROFILES




MISCELLANEOUS PROFILES




13304
235 g/m




15166
203 g/m




15785
238 g/m



11368
581 g/m




16022
751 g/m




11087
1952 g/m


MISCELLANEOUS PROFILES




13144
297 g/m




11073
367 g/m




15468
254 g/m




14643
297 g/m




11072
149 g/m




15681
138 g/m




14645
135 g/m



16142
205 g/m




17009
186 g/m




13140
138 g/m


MISCELLANEOUS PROFILES




16348
251 g/m




16347
170 g/m




17621
788 g/m




17290
243 g/m



18115
1121 g/m




25978
726 g/m




28243
683 g/m


MISCELLANEOUS PROFILES




13335
467 g/m



13337
1226 g/m




28209
1147 g/m




13338
464 g/m


MISCELLANEOUS PROFILES




12178
 410 g/m



18685
 262 g/m






18686
 319 g/m



24353
 6080 g/m


COLD ROOMS & PREFAB HOUSES






PANELS


PANELS




PANELS




11531
431 g/m



11100
675 g/m







19389
356 g/m






SHOP FRONT


SHOPFRONT PROFILES




SHOPFRONT PROFILES




SHOPFRONT PROFILES



16144
1115 g/m




16145
961 g/m




16146
880 g/m


SHOPFRONT PROFILES




23252
851 g/m




11019
159 g/m



11082
243 g/m




11021
230 g/m




25256
1428 g/m


SHOPFRONT PROFILES



25257
 1423 g/m




23123
 1607 g/m




24104
 1596 g/m


SHOPFRONT PROFILES



25260
1706 g/m




25258
1960 g/m




25259
1825 g/m

SHOPFRONT PROFILES




27110
 1458 g/m




21240
 1517 g/m

SHOPFRONT PROFILES




25255
1985 g/m




SHOWCASE


SHOW CASE PROFILES




26391
578 g/m




26390
554 g/m




11191
100 g/m




26400
783 g/m




26392
597 g/m




24931
1023 g/m



24933
651 g/m




11190
289 g/m




24932
637 g/m


SHOW CASE PROFILES




22474
 872 g/m




22459
 1339 g/m



22458
 1145 g/m




22965
 1882 g/m




SIGNBOARD

SIGN BOARDS / DISPLAY PROFILES






11570
 1647 g/m





11030
 1652 g/m







SIGN BOARDS / DISPLAY PROFILES




SIGN BOARDS / DISPLAY PROFILES




SIGN BOARDS / DISPLAY PROFILES






VENETIAN BLINDS


PROFILES FOR VENETIAN BLINDS




25588
508 g/m




16413
300 g/m




16415
248 g/m




16411
248 g/m




16565
324 g/m




16414
286 g/m




16417
311 g/m



15557
440 g/m



16584
451 g/m




16433
194 g/m




SCAFFOLDING

SCAFFOLDING PROFILES




14348
3232 g/m

SCAFFOLDING PROFILES




13690
3162 g/m

SCAFFOLDING PROFILES




SCAFFOLDING PROFILES




13788
3810 g/m

SCAFFOLDING PROFILES




15265
3823 g/m


SCAFFOLDING PROFILES




SCAFFOLDING PROFILES




SCAFFOLDING PROFILES




SCAFFOLDING PROFILES




SCAFFOLDING PROFILES



The background is a complex geometric pattern. On the left, there's a series of white circles on a dark background, transitioning into a grid of white squares on a dark background. A vertical teal band runs through the center, containing the word 'STANDARDS' in white, uppercase letters. To the right of the band, the pattern continues with a grid of white squares on a dark background, which then transitions into a series of white vertical lines on a dark background.


STANDARDS

FLAT BARS




DIE NO.	b	s	r	WEIGHT G/M	REMARKS
10043	6.5	3.3		59	
10090	10	6		162	
10049	11	6	0.3	178	
10071	12	6		194	
10045	13	3		105	
10035	14	1.5		57	
10094	14	2.5	1.25	92	
10902	15	2	0.3	81	
10940	15	10		405	
10942	15	3		122	
S0022	15	5		203	
S0030	15	8		324	
10058	16	3		130	
10073	16	6	0.4	259	
10074	16	8	0.4	346	
10032	16.5	6		267	
S0049	17.5	2	0.3	95	
S0032	18.7	4.2		213	
10025	19	2.5	1.25	124	
S0059	19.05	3.2		165	
10996	19.05	3.2		165	
10997	19.05	6.35		327	
S0008	19.05	9.5		489	
S0009	19.05	12.7		653	
10001	20	5	0.4	270	
10024	20	4	2	208	
10061	20	3		162	
10075	20	6	0.4	324	

FLAT BARS




DIE NO.	b	s	r	WEIGHT G/M	REMARKS
10076	20	10	0.4	540	
10903	20	8	0.3	432	
10943	20	3		162	
10944	20	4		216	
10956	20	2		108	
10963	20	15		810	
10002	25	5	0.4	337	
10059	25	3		203	
10067	25	4		270	
10904	25	15	0.3	1013	
10919	25	10		675	
10925	25	20		1350	
10945	25	8		540	
10948	25	12		810	
S0015	25	6		405	
S0043	25	2.8		189	
S0047	25	1.8		122	
10096	25.4	3.17		219	
10995	25.4	19.05		1307	
10998	25.4	12.7		872	
10999	25.4	6.35		435	
S0001	25.4	9.5		651	
S0010	25.4	7.9		543	
10003	30	4	0.4	324	
10004	30	5	0.4	405	
10020	30	2		162	
10060	30	3		243	
10077	30	10	0.4	810	

FLAT BARS




DIE NO.	b	s	r	WEIGHT G/M	REMARKS
10078	30	12	0.4	972	
10905	30	6	0.3	486	
10920	30	5		405	
10926	30	20		1620	
10949	30	15		1215	
S0016	30	8		648	
S0045	30	4.75		386	
S0057	31.75	3.2		275	
10981	31.75	4.76		408	
10993	31.75	12.7		1088	
10994	31.75	19.05		1634	
10036	32	1.5		130	
10931	35	10		945	
10932	35	15		1418	
10984	35	3		284	
S0004	35	5		473	
S0035	35	6		567	
10080	36	10	1	969	
S0058	38.1	3.2		329	
10100	38.1	9.5		972	
10992	38.1	25.4		2614	
S0002	38.1	6.35		653	
S0011	38.1	15.88		1634	
S0013	38.1	4.76		489	
10048	39.4	2		213	
10005	40	3	0.4	324	
10006	40	4	0.4	432	
10007	40	5	0.4	540	

FLAT BARS




DIE NO.	b	s	r	WEIGHT G/M	REMARKS
10008	40	10	0.8	1080	
10040	40	6		648	
10079	40	12	0.4	1296	
10081	40	15		1620	
10092	40	20		2160	
10093	40	8		864	
10913	40	8	0.3	864	
10914	40	10	0.3	1080	
10950	40	15		1620	
10964	40	25		2700	
10965	40	30		3240	
10979	40	2		216	
S0044	40	2.8		302	
10980	44.45	25.4		3048	
10027	45	2		243	
10031	45	30		3645	
10933	45	10		1215	
10934	45	15		1823	
10946	45	5		608	
S0036	45	25		3038	
10034	48	1.5	0.75	195	
10009	50	5	0.4	675	
10010	50	10	0.8	1350	
10026	50	40		5400	
10906	50	8	0.3	1080	
10915	50	10	0.3	1350	
10917	50	6		810	
10927	50	15		2025	

FLAT BARS




DIE NO.	b	s	r	WEIGHT G/M	REMARKS
10951	50	20		2700	
10953	50	30		4050	
10959	50	3		405	
S0017	50	12		1620	
S0018	50	25		3375	
S0021	50	4		540	
S0038	50	35		4725	
S0046	50	4.75		643	
10099	50.8	6.35		872	
10974	50.8	3.2		440	
10982	50.8	25.4		3483	
10983	50.8	6.35		872	
10988	50.8	19.05		2614	
10989	50.8	15.9		2182	
10990	50.8	12.7		1742	
10991	50.8	9.5		1304	
S0069	51.5	12	3	1647	
10066	54.5	2		294	
10014	60	8	0.8	1296	
10023	60	25		4050	
10907	60	5	0.3	810	
10908	60	10	0.3	1620	
10916	60	20	0.3	3240	
10924	60	6		972	
10928	60	15		2430	
10935	60	3		486	
10954	60	2		324	
10958	60	30		4860	

FLAT BARS




DIE NO.	b	s	r	WEIGHT G/M	REMARKS
10966	60	40		6480	
S0028	60	4		648	
S0029	60	12		1944	
S0034	60	36.5		5913	
10089	63	12.5		2128	
10986	63.5	9.5		1628	
S0003	63.5	38.1		6531	
S0042	65	12.5		2195	
10936	70	3		567	
10960	70	5		945	
10985	70	10		1890	
S0020	70	15		2835	
S0040	70	40		7560	
10041	74.5	4		805	
10015	75	8	0.8	1620	
S0073	76.2	3		659	
S0014	76.2	6.35		1307	
10091	80	8		1728	
10909	80	6	0.3	1296	
10910	80	10	0.3	2160	
10929	80	5		1080	
10937	80	3		648	
10967	80	4		864	
10968	80	12		2592	
10969	80	30		6480	
10975	80	15		3240	
S0006	80	40		8640	
S0019	80	20		4320	

FLAT BARS




DIE NO.	b	s	r	WEIGHT G/M	REMARKS
S0041	80	25		5400	
10053	80.5	5		1088	
S0025	85	30		6885	
10029	90	1.5		357	
10087	90	10		2430	
10088	90	15		3645	
10037	94.5	3.5		894	
10021	100	3	0.4	810	
10042	100	15		4050	
10047	100	10		2700	
10095	100	8		2160	
10922	100	12		3240	
10930	100	5		1350	
10938	100	4		1080	
10941	100	20		5400	
10978	100	2		540	
S0012	100	6		1620	
S0037	100	25		6750	
10070	115	6		1863	
S0075	117.5	3.2		1015	
10013	120	8	0.3	2592	
10911	120	12	0.3	3888	
10912	120	15	0.3	4860	
10918	120	10		3240	
10939	120	6		1944	
10955	120	5		1620	
10970	120	20		6480	
10019	130	5		1755	

FLAT BARS




DIE NO.	b	s	r	WEIGHT G/M	REMARKS
10098	133	3.5		1258	
10971	140	10		3780	
S0050	150	2.5		1013	
S0051	150	3		1215	
10052	150	6		2430	
10055	150	10		4050	
10068	150	20	1.5	8095	
10901	150	20	0.4	8100	
10923	150	10		4050	
10972	150	15		6075	
10011	152	12.7	1.6	5212	
S0076	152.4	3.2		1318	
10072	176	13		6178	
10947	180	15		7290	
S0007	180	10		4860	
10016	200	5	0.6	2700	
10017	200	10	0.8	5400	
10039	200	12		6480	
10051	200	3		1620	
10054	200	10		5400	
10057	200	8		4320	
10086	200	20		10800	
10921	200	5		2700	
10973	200	15		8100	
S0048	200	4		2160	
S0072	208.8	3		1690	
S0070	250	4		2700	
10957	250	16		10800	
S0005	250	15		10125	
10028	254	12.7		8710	




SQUARE BARS

DDIE NO.	a	r	WEIGHT G/M	REMARKS
10107	6	0.4	97	
10108	8	0.4	173	
10109	10	0.4	270	
10110	12	0.4	389	
10102	13		456	
10119	15		608	
10111	16	0.4	691	
10105	16		691	
10121	19		975	
10118	20	2	1072	
10103	20		1080	
10112	24	0.4	1555	
10113	25	0.4	1688	
10101	25	1.6	1688	
10117	30		2430	
10106	32		2765	
10120	35		3308	
10114	40		4320	
10116	50		6750	
10115	60		9720	
10104	100		27000	

RODS




DIE NO.	d	WEIGHT G/M	REMARKS
10222	6	76	
10201	8	136	
10205	10	212	
10206	12	306	
10228	14	416	
10207	15	477	
10225	15.9	537	
10226	16	543	
10208	18	687	
10209	20	848	
10229	22	1026	
10202	25	1325	
10230	26	1434	
10232	28	1663	
10210	30	1909	
10234	32	2171	
10211	35	2598	
10212	40	3393	
10213	45	4294	
10203	50	5302	
10221	50.8	5473	
10227	60	7633	
10214	80	13573	
10220	88.5	16608	
10233	114	27563	
10215	121	31047	




EQUAL-SIDED ANGLES

DIE NO.	a	s	r	r1	WEIGHT G/M	REMARKS
S0327	12	1.8			108	
10341	13	1.5			100	
10390	13	3.5	0.4		213	
10359	15	1.1			86	
10328	15	1.3	0.4	0.4	100	
10553	15	1.3			116	
10301	15	2	0.4	0.4	151	
10316	18	1.2	0.4	0.4	113	
10394	19.05	1.6			157	
S0350	20	0.9			95	
10361	20	1.1			113	
10368	20	1.2			130	
10556	20	1.2			124	
10330	20	1.3			135	
10336	20	1.3			135	
10351	20	1.4			146	
10319	20	1.5	0.4	0.4	156	
10302	20	2	0.4	0.4	206	
10387	20	3			300	
10317	25	1.25	0.4	0.4	165	
10329	25	1.3			170	
10350	25	1.4			184	
S0312	25	1.5			205	
S0331	25	1.8			235	
10314	25	2	0.4	0.4	259	
S0329	25	2.85			362	
10303	25	3	0.4	0.4	381	
10380	25	3			381	


**EQUAL-SIDED ANGLES**

DIE NO.	a	s	r	r1	WEIGHT G/M	REMARKS
10370	25	4			487	
10375	25	4	0.3	0.3	497	
S0353	25.4	0.9			122	
10355	25.4	1.59			211	
10356	25.4	3.17			408	
S0318	28.58	3.18			464	
S0341	29	2.8			419	
10360	30	1.1			176	
10327	30	1.3	0.4	0.4	205	
10552	30	1.3			205	
10343	30	1.5			238	
10320	30	2	0.4	0.4	313	
10315	30	2.5	0.4	0.4	388	
S0349	30	2.5			389	
S0334	30	2.8			467	
S0330	30	2.85			440	
10304	30	3	0.4	0.4	462	
10555	30	3			462	
10334	30	4			605	
10326	30	5			743	
S0302	31.75	1.6			267	
10396	31.75	3.2			521	
S0310	31.75	4.76			756	
10324	35	2			367	
10305	35	3	0.4	0.4	543	
10364	35	3.5			629	
10335	35	4			713	
S0319	35	5			878	




EQUAL-SIDED ANGLES

DIE NO.	a	s	r	r1	WEIGHT G/M	REMARKS
10377	37.5	3.75			721	
S0307	38	3			591	
10357	38.1	3.17			627	
S0303	38.1	4.76			918	
10398	38.1	6.35			1199	
10340	40	1.3			275	
10551	40	1.3			275	
S0323	40	1.8			381	
10306	40	2	0.4	0.4	421	
10322	40	2.5	0.4	0.4	524	
S0335	40	2.8			583	
10349	40	3			624	
10554	40	3			624	
S0344	40	3.2			664	
10333	40	3.5			724	
10307	40	4	0.8	0.8	821	
10371	40	4	0.4	0.4	821	
10308	40	5	0.8	0.8	1012	
10384	40	5			1013	
S0338	40	5.8			1162	
S0317	45	2			475	
10321	45	3	0.4	0.4	705	
10344	45	5			1148	
10339	50	1.3			346	
S0333	50	1.8			478	
10313	50	2	0.4	0.4	529	
S0332	50	2.8			734	
10342	50	3			786	


**EQUAL-SIDED ANGLES**

DIE NO.	a	s	r	r1	WEIGHT G/M	REMARKS
S0348	50	4			1037	
10318	50	4	0.8	0.8	1037	
10381	50	4	2.5		1040	
10309	50	5	0.4	0.4	1282	
10372	50	5	0.4	0.4	1283	
S0324	50	5			1283	
S0336	50	5.8			1474	
10348	50	6			1523	
10376	50	6	0.3	0.3	1523	
10379	50	6			1523	
10382	50	6	4		1531	
10358	50.8	3.17			842	
S0301	50.8	4.8			1256	
S0304	50.8	6.35			1634	
10323	60	2	4	6	626	
S0308	60	2			637	
S0315	60	2.5			794	
10383	60	3			948	
10391	60	4			1253	
10374	60	5	0.3	0.3	1553	
10310	60	6	0.8	0.8	1850	
10311	60	8	8	1.6	2449	
S0309	60	8			2419	
S0320	60	10			2970	
S0314	70	6			2171	
S0326	75	2.8			1112	
S0328	75	4.8			1882	
S0305	76.2	3.2			1288	




EQUAL-SIDED ANGLES

DIE NO.	a	s	r	r1	WEIGHT G/M	REMARKS
S0306	76.2	6.35			2507	
S0313	80	3			1272	
10388	80	4			1685	
S0316	80	5			2093	
10312	80	6	0.8	0.8	2495	
10373	80	6	0.4	0.4	2495	
10386	80	8			3283	
10389	100	4			2117	
S0311	100	6			3143	
10392	100	10			5130	
10378	120	8			5011	
S0337	150	10			7830	


**T-SECTION**

DIE NO.	a	b	s	r	WEIGHT G/M	REMARKS
10401	20	20	2	0.4	205	
10402	20	50	2	0.4	367	
10420	25	25	3		381	
10407	30	30	2		313	
10421	30	30	3		462	
10406	35	20	1.5	0.4	217	
10410	36	54	4	2	934	
10411	40	20	1.5		238	
10416	40	40	3		624	
10425	40	40	4		821	
10409	45	25	1.6		294	
10408	50	50	4		1037	
10428	60	60	2		637	
10427	60	60	3		948	
10418	60	60	4		1253	
10419	60	60	6		1847	
10422	80	50	4		1361	
10417	100	80	3	2	1439	
10426	125	140	5		3502	




UNEQUAL-SIDED ANGLES

DIE NO.	a	b	s	r	r1	WEIGHT G/M	REMARKS
1 0542	10	7	1.2	0.5		51	
S0537	15	10	1.4			89	
10501	15	10	2	0.4	0.4	124	
10553	15	15	1.5			116	
10544	19	6.3	1.3			84	
10520	19	8	1.5			103	
S0526	20	10	2			151	
10513	20	15	1.5	0.4	0.4	136	
10502	20	15	2	0.4	0.4	178	
10547	20	16	1.6	3		154	
10556	20	20	1.2			124	
10503	25	15	2	0.4	0.4	206	
S0536	25	15	2			205	
S0514	25	15	2.5			254	
10558	25	20	1.4			165	
10514	25	20	2	0.4	0.4	232	
S0515	30	10	2			205	
S0516	30	15	2			232	
10599	30	18	3			365	
10515	30	20	2	0.4	0.4	259	
10504	30	20	3	0.4	0.4	381	
10393	30	25	3			421	
10552	30	30	1.3			205	
10555	30	30	3			462	
10559	32	20	1.4			192	
10505	35	15	2	0.4	0.4	232	
S0532	35	30	3			502	
S0502	38.1	25.4	3.2			521	


**UNEQUAL-SIDED ANGLES**

DIE NO.	a	b	s	r	r1	WEIGHT G/M	REMARKS
S0521	40	15	2			286	
10560	40	20	1.4			221	
10540	40	20	1.6			251	
10506	40	20	2	0.4	0.4	313	
10507	40	20	3	0.4	0.4	461	
S0501	40	20	4			605	
S0510	40	20	4			605	
10549	40	24	5			797	
10511	40	25	2	0.4	0.4	340	
10582	40	25	3			502	
S0508	40	30	2			367	
10574	40	30	3			543	
S0523	40	30	4			713	
10567	40	35	3			583	
10538	40	35	3.6			694	
10576	40	35	4			767	
10551	40	40	1.3			275	
10554	40	40	3			624	
S0565	42	10	2		0.25	270	
S0563	47	29	1.6			321	
S0546	50	15	1.75			300	
S0524	50	15	2			340	
S0511	50	20	2			367	
10561	50	25	1.4			278	
S0528	50	25	2			394	
S0545	50	25	2.3			451	
S0544	50	25	2.5			489	
10508	50	25	4	0.4	0.4	766	




UNEQUAL-SIDED ANGLES

DIE NO.	a	b	s	r	r1	WEIGHT G/M	REMARKS
10575	50	30	2			421	
10600	50	30	3			624	
S0522	50	30	4			821	
10598	50	30	5			1013	
S0512	50	40	2			475	
10594	50	40	3			705	
10532	50	40	5			1148	
10566	50.8	25.4	3.17			626	
S0507	50.8	25.4	4.76			918	
S0504	50.8	25.4	6.35			1199	
10548	55	50	5			1350	
S0550	55.3	28.3	2.5			548	
10524	57	31	2			464	
S0520	60	20	2			421	
10519	60	25	2.5			557	
10518	60	25	3			664	
10563	60	30	1.2			289	
10530	60	30	1.5			359	
10591	60	30	2			475	
10597	60	30	3			705	
S0535	60	30	4			929	
10509	60	30	5	0.4	0.4	1148	
10592	60	40	2			529	
10565	60	40	3			786	
10595	60	40	4			1037	
S0541	60	40	5			1283	
S0540	65	17	3			640	
S0509	70	30	2			529	


**UNEQUAL-SIDED ANGLES**

DIE NO.	a	b	s	r	r1	WEIGHT G/M	REMARKS
10557	70	40	8			2203	
S0529	75	50	6			1928	
S0530	75	50	7			2230	
10525	76	27	4			1069	
S0505	76.2	50.8	6.35			2068	
S0527	80	20	2			529	
10572	80	30	3	0.3	0.3	867	
10528	80	40	3			948	
S0517	80	40	4			1253	
S0513	80	40	6			1847	
10537	80	50	2			691	
10581	80	50	5			1688	
S0506	80	50	6			2009	
10578	80	60	4			1469	
10571	80	60	6	0.3	0.3	2171	
10526	90	70	20		5	7503	
10545	100	20	2			637	
S0538	100	30	3			1029	
10527	100	40	3			1110	
S0533	100	40	4			1469	
10583	100	50	3			1191	
10577	100	50	5			1958	
10541	100	50	6			2333	
10590	100	50	6			2333	
10573	100	50	10	0.3	0.3	3780	
10584	100	60	6			2495	
10580	100	70	2			907	
S0543	100	80	8			3715	




UNEQUAL-SIDED ANGLES

DIE NO.	a	b	s	r	r1	WEIGHT G/M	REMARKS
10568	101	76.2	6.35			2924	
S0518	101.6	25.4	3.18			1064	
S0519	101.6	50.8	3.18			1283	
S0525	120	40	4			1685	
10585	120	60	6			2819	
S0539	120	80	8			4147	
10510	125	80	8	8	0.8	4285	
S0542	130	30	3			1272	
10586	150	50	4			2117	
10521	150	50	10	8		5265	
10593	150	75	8			4687	
10587	150	75	10			5805	
10512	150	100	5	0.4	0.4	3308	
10517	150	100	10	12.5		6572	
10579	150	100	10			6480	
10570	152	101	6.35	3.2		4223	
S0534	152.4	76.2	9.5			5638	
10536	200	42	2			1296	
10529	200	75	13			9196	
S0551	200	125	10			8505	


**U-SECTION**

DIE NO.	a	b	s	r	r1	r2	WEIGHT G/M	REMARKS
S6062	9.5	9.5	0.9				65	
S6068	10	8	1.7	0.25	0.25	1.95	100	
10812	10	10	1.5	0.3	0.3	0.3	111	
10816	10	10	2	0.3	0.3	0.3	140	
S6028	10	12	1.8				149	
10849	12	20	1.1				149	
10681	13	20	2.5	0.5		3	313	
10696	14	15	1.5				167	
10693	14.6	30	1.2				235	
10877	14.7	14.7	1.2				135	
10601	15	15	2	0.4	0.4	0.4	221	
10635	15	30	1.5				292	
S6020	16	16	1.2				148	
10665	16	19	1.2				167	
10633	16	25	1.6				232	
10638	17	15	2				230	
10654	18.5	14.5	3				338	
10895	20	10	1.4				140	
10892	20	10	1.6				159	
10602	20	15	2	0.4	0.4	0.4	248	
10825	20	20	1.5				232	
10603	20	20	2	0.4	0.4	0.4	302	
10840	20	20	3	0.5		2	432	
10887	20	25	2				356	
10680	20	30	1.5				313	
10871	20	30	2				410	
10689	20	30	3.25				645	
S6047	20	40	1.5				392	




U-SECTION

DIE NO.	a	b	s	r	r1	r2	WEIGHT G/M	REMARKS
10814	20	40	2.5	0.3	0.3	0.3	643	
S6061	22	15	1.2				159	
S6008	22	19	1.3				203	
10862	22.23	22.23	3.2				521	
10618	23	10	1.5		0.75	0.5	162	
10893	25	15	1.5				211	
10851	25	15	2				275	
10678	25	25	2				383	
10886	25	25	2				383	
10864	25	25	2.5				473	
10604	25	25	3	0.4	0.4	0.4	559	
10631	25	35	2		0.5	0.5	491	
10695	25.2	4	1.3				108	
10839	25.2	4.1	1.1				92	
10674	25.4	25.4	1.8				354	
10646	28	53	3		1.5		1031	
10691	28.6	25.4	1.6				329	
10636	29.4	15	1.5				230	
10803	30	15	1.6				246	
10605	30	15	2	0.4	0.4	0.4	302	
10627	30	20	2				357	
10826	30	30	2				464	
10606	30	30	3	0.4	0.4	0.4	680	
10683	32	3.2	1.2				116	
S6053	32	15	2			2	308	
S6057	35	10	2				275	
S6058	35	10	3				397	
10664	35	20	2				383	


**U-SECTION**

DIE NO.	a	b	s	r	r1	r2	WEIGHT G/M	REMARKS
10827	35	35	2				545	
S6029	36.5	10	2.5				346	
10843	38.1	25.4	3.2				713	
10669	40	6.5	1.2				165	
10658	40	20	1.1				232	
10656	40	20	1.2				251	
10883	40	20	1.3				272	
10648	40	20	1.4				292	
S6030	40	20	1.7				351	
10617	40	20	2	0.4	0.4	0.4	410	
10644	40	20	2				411	
10861	40	20	2.5				508	
10608	40	30	2	0.4	0.4	0.4	518	
10857	40	30	3				761	
10621	40	40	2	0.4	0.4	0.4	626	
10808	40	40	2				626	
10828	40	40	2				626	
10835	40	40	2.5				778	
10829	40	40	3				923	
10609	40	40	4	0.4	0.4	0.4	1210	
10874	40	60	5				2025	
10819	40	80	4				2074	
10820	40	80	5				2700	
S6041	43	16	2				383	
10885	44	20	1.6			0.5	348	
10894	45	20	1.2				267	
10634	45	20	2				437	
10684	46.1	13.8	1.3	1.5	0.65	2.5	243	




U-SECTION

DIE NO.	a	b	s	r	r1	r2	WEIGHT G/M	REMARKS
10632	50	25	2				518	
10858	50	30	2				572	
10817	50	30	3				842	
10830	50	50	2				788	
10813	50	50	3	0.3	0.3	0.3	1166	
10831	50	50	4				1534	
10611	50	50	5	0.4	0.4	0.4	1890	
10640	50.8	12.7	3				570	
10844	50.8	25.4	3.2				824	
10845	50.8	38.1	6.35				1960	
10804	50.8	50.8	6.35				2395	
10624	54	27	2				562	
S6036	56	70	3				1515	
10801	57	37.8	3	4			1045	
10659	60	16	1.5				362	
S6056	60	18	4				950	
10863	60	20	2				518	
10838	60	30	3				923	
10884	60	40	2.5				913	
10859	60	40	3				1085	
10865	60	40	4				1426	
10821	60	40	5				1755	
10676	63.5	25	2.4			2	699	
10846	63.5	31.75	4.76				1509	
10868	65	55	2.5				1148	
10898	71.4	42	2.5		1.25		1013	
10615	75	15	5	0.4	0.4	0.4	1283	
10642	75	38	5				1904	


**U-SECTION**

DIE NO.	a	b	s	r	r1	r2	WEIGHT G/M	REMARKS
10847	76.2	50.8	6.35				2830	
10623	79	27	2				697	
10619	80	10	2	3	1	3	518	
10612	80	30	3	0.4	0.4	0.4	1080	
10822	80	30	3				1085	
10870	80	40	3				1247	
10842	80	40	4				1642	
10897	80	45	2.5				1115	
10860	80	45	3				1328	
10873	80	45	6				2560	
10834	80	50	5				2295	
10660	81	25	2				686	
S6022	82	10	1				270	
10649	83.4	30	1.5				570	
S6060	86	150	8				7992	
10815	90	50	3	0.3	0.3	0.3	1490	
10663	93.5	75	5	5			3180	
10613	100	20	2	0.4	0.4	0.4	734	
10697	100	25	1.5				597	
S6059	100	30	1.1				470	
10856	100	30	1.2				510	
10645	100	40	2				950	
10872	100	40	3				1409	
S6005	100	50	2.85				1496	
10614	100	50	5	0.4	0.4	0.4	2560	
S6006	100	50	8				3974	
10875	100	50	10				4860	
10639	104	32	2				886	




U-SECTION

DIE NO.	a	b	s	r	r1	r2	WEIGHT G/M	REMARKS
S6072	105.65	39.95	2	0.75	1	0.75	991	
10661	106	30	2				896	
10823	106	40	3				1458	
S6066	106.1	15.85	2.3				826	
S6023	107	10	1				337.5	
10867	113	102	2		0.5	0.5	1688	
10836	120	45	10				5130	
10685	127	60	6.4				4047	
10652	133	20.5	2	1.5		3.5	934	
10657	140	50	6				3694	
S6007	140	60	7				4649	
S6037	150	20	2				1004	
S6069	152.4	19	2	0.4	0.4	0.4	1007	
S6070	152.4	44.5	3.2	1.6	0.4	3.2	2022	
S6064	157.2	16.4	2.4				1196	
S6021	157.4	10	1.2				567	
S6012	159	20.6	1.9				1137	
S6011	159	20.9	2.5				1318	
S6071	167	7	1.5	1.5		3	713	
S6067	177.8	19.05	2				1145	
S6065	183.9	15.85	2.8				1588	
S6010	200	100	5				5265	
S6009	220	100	6				6610	


**I-SECTION**

DIE NO.	h	b	s	t	r	WEIGHT G/M	REMARKS
10705	127	78	9.6	9.6	6	6920	
10707	150	100	9.6	9.6	6	8659	
10708	251	102	6			7225	




H-SECTION

DIE NO.	h	b	c	s	WEIGHT G/M	REMARKS
10711	24	35	10	1.5	393	


**C-SECTION**

DIE NO.	h	b	c	s	r1	r2	WEIGHT G/M	REMARKS
10722	18	18	8	1.5			235	
10726	24.5	10	13	1.2			165	
10726	25	12	13	1.2			165	
10730	28.6	19.1	12.7	2.4	0.8	3.2	451	
10729	48	28	16	4			1296	




Z-SECTION

DIE NO.	h	b	b1	s	t	t1	WEIGHT G/M	REMARKS
10734	20	25	20	2	2	2	319	
10748	20	18	21	3	3	3	429	
10747	40	40	40	3	3	3	923	
10742	43	18	18	3	3	3	591	
10744	50	35	35	3	3	3	923	
10743	60	24	24	4	4	4	1080	
10741	100	50	50	2	2	2	1058	
10733	125	50	50	2	2	2	1193	


**ROUND TUBES**

DIE NO.	d	s	WEIGHT G/M	REMARKS
20554	7.8	1	57	
20063	7.8	1.4	76	
20064	8	1	59	
20059	8	1.2	70	
20030	8	1.4	78	
20033	10	1.1	84	
20555	12	1.2	111	
20559	12	2	170	
20613	12.5	2	178	
20561	13	1	103	
20615	14.5	1.5	165	
20548	15	1.5	173	
20616	15.3	2.2	246	
20549	16	2	238	
20008	16	3	331	
20589	18	1.05	154	
20039	18	1.5	210	
20503	18	2	273	
20589	18.3	1.05	213	
20031	19	1.4	208	
20577	19	2.85	392	
20525	19.05	3.2	429	
20001	20	1.5	235	
20002	20	2	306	
20091	20	3	432	
20550	20	5	637	
20069	21.4	2.5	400	
20611	21.7	1.5	257	




ROUND TUBES

DIE NO.	d	s	WEIGHT G/M	REMARKS
20007	22	1.5	262	
20520	22	1.63	281	
20507	22	2	340	
20610	22.3	1.5	265	
20614	24.5	4.5	764	
20591	25	1.1	223	
20618	25	1.2	243	
20024	25	1.5	300	
20045	25	1.6	323	
20003	25	2	392	
20580	25	2.8	527	
20510	25	3	559	
20587	25	3.8	683	
20066	25	4	713	
20599	25.4	1.5	305	
20045	25.4	1.6	325	
20526	25.4	3.2	602	
20514	28	1.2	273	
20004	30	2	475	
20094	30	3	686	
20546	30	4	883	
20513	30	5	1061	
20606	30.6	2.8	662	
20527	31.75	3.2	775	
20542	32	2	510	
20558	32	3	737	
20568	32	3.2	783	
20054	34	2.5	667	


**ROUND TUBES**

DIE NO.	d	s	WEIGHT G/M	REMARKS
20019	34	4	1018	
20545	35	2	559	
20537	35	3	815	
20551	35	5	1272	
20605	36	2.5	710	
20575	38	3.8	1102	
20543	38	6.35	1704	
20528	38.1	3.2	948	
20047	38.1	3.25	961	
20014	40	2	645	
20515	40	2.5	797	
20586	40	2.8	883	
20005	40	3	942	
20096	40	4	1220	
20084	40	5	1485	
20601	40.3	4.6	1393	
20090	42	2	678	
20540	42	3	994	
20087	42.1	4	1293	
20049	45	2.5	902	
20011	45	3	1069	
20026	45	5	1696	
20612	46.5	2	756	
20566	48	3.8	1426	
20547	48	4	1493	
20021	48	6	2138	
20020	48.3	3.7	1399	
20533	48.3	3.8	1433	




ROUND TUBES

DIE NO.	d	s	WEIGHT G/M	REMARKS
20076	48.3	4	1504	
20517	48.3	4	1504	
20539	48.3	4.47	1663	
20098	48.41	4.47	1666	
20600	48.6	4.85	1801	
20067	50	1.5	616	
20578	50	1.8	737	
20018	50	2	814	
20590	50	2.8	1121	
20013	50	3	1196	
20006	50	4	1561	
20092	50	5	1909	
20534	50.6	2.1	864	
20529	50.8	1.6	667	
20518	50.8	1.63	680	
20530	50.8	3.2	1293	
20531	50.8	4.8	1874	
20523	50.8	6.35	2395	
20574	51	5.8	2225	
20602	51.4	2	837	
20519	57.5	3	1431	
20521	60	1.5	745	
20512	60	2	983	
20012	60	3	1450	
20593	60	3.85	1833	
20083	60	5	2333	
20032	60.5	4.5	2138	
20167	63	21.5	7569	


**ROUND TUBES**

DIE NO.	d	s	WEIGHT G/M	REMARKS
20582	65	2.5	1326	
20609	70	2	1153	
20522	70	3	1701	
20560	70	5	2757	
20584	75	4	2408	
20046	76	3	1858	
20532	76.2	3.2	1982	
20524	76.2	6.35	3761	
20050	80	3	1960	
20009	80	4	2579	
20505	80	5	3181	
20041	80	8	4887	
20516	80	10	5937	
20072	81.25	2.5	1671	
20015	89	19.45	11475	
20056	90	3	2214	
20506	90	5	3605	
20023	98	2	1628	
20508	100	2	1663	
20541	100	3	2468	
20065	100	5	4028	
20567	100	10	7633	
20588	101.6	3.2	2670	
20535	110	5	4452	
20093	120	5	4876	
20509	120	10	9331	
20095	130	5	5303	
20608	130	6.8	6909	




ROUND TUBES

DIE NO.	d	s	WEIGHT G/M	REMARKS
20597	136	3.5	3934	
20048	140	5	5727	
20097	140	5	5727	
20603	140	7	7304	
20544	145	4	4784	
20034	150	2.5	3127	
20053	150	3	3740	
20538	150	5	6151	
20607	150	8	9636	
20598	157.4	2.5	3286	
20604	160	7	9086	
20581	200	10	16116	




SQUARE TUBES

DIE NO.	b	s	R	r	WEIGHT G/M	REMARKS
20185	15	1			151	
20101	15	2	0.4	0.4	281	
H0107	18	1.95	2		329	
H0140	19	0.9			176	
20146	20	1.2			243	
20152	20	1.2			243	
20135	20	1.4			281	
H0113	20	1.7			335	
20102	20	2	0.4	0.4	390	
20181	20	2	0.3	0.3	389	
20192	22.4	1.3	1.5	1	294	
20148	25	1.3			332	
20133	25	1.4			356	
20109	25	1.5	0.4	0.4	381	
H0115	25	1.8			451	
20103	25	2	0.4	0.4	497	
H0116	25	2.8			672	
20154	25	3			713	
H0139	25.4	0.9			238	
20160	25.4	3.25			778	
H0106	28.5	1.95	2		551	
H0130	30	0.9			284	
H0111	30	1			313	
20140	30	1.2			373	
20134	30	1.4			432	
H0109	30	1.5			462	
20158	30	1.8			548	
20104	30	2	0.4	0.4	605	




SQUARE TUBES

DIE NO.	b	s	R	r	WEIGHT G/M	REMARKS
H0110	30	2.5			743	
H0122	30	2.8			824	
20155	30	3			875	
20182	30	3	0.3	0.3	875	
20200	30	4			1123	
H0101	31.75	3.2			986	
20186	33	1.5			510	
20167	35	1.1			402	
20173	35	1.5	0.4		543	
20105	35	2	0.4	0.4	708	
20175	35	3	0.3	0.3	1037	
20163	38.1	1.63			643	
20161	38.1	3.25			1223	
H0135	40	0.8			338	
20166	40	1			421	
20151	40	1.1			462	
20122	40	1.2			502	
20150	40	1.2			502	
20124	40	1.3			543	
20128	40	1.4			583	
20114	40	1.5			624	
H0123	40	1.8			743	
20106	40	2	0.4	0.4	821	
20187	40	2.5			1013	
H0121	40	2.7			1088	
20107	40	3	0.4	0.4	1200	
20176	40	4	0.3	0.3	1555	
20143	45	2			929	




SQUARE TUBES

DIE NO.	b	s	R	r	WEIGHT G/M	REMARKS
20142	45	3			1361	
20153	50	1.2			632	
20132	50	1.4			734	
H0114	50	1.8			937	
20110	50	2	0.4	0.4	1037	
H0118	50	2.3			1185	
20177	50	2.5	0.3	0.3	1283	
H0112	50	2.7			1380	
20108	50	3	0.4	0.4	1523	
20183	50	3	0.3	0.3	1523	
20198	50	3	5	3	1485	
H0126	50	3.8			1895	
20116	50	4			1987	
H0128	50	5.8			2768	
20162	50.8	3.25			1669	
20196	50.8	6.35			3048	
20119	60	2			1253	
20178	60	3	0.3	0.3	1847	
H0127	60	3.8			2306	
20117	60	4			2419	
20118	60	6			3500	
20120	70	2			1469	
20199	70	4			2851	
H0137	70	6			4147	
H0117	75	2.8			2184	
H0105	75	3			2333	
20123	75	5			3780	
20168	76.2	6.35	4.8	1.6	4744	




SQUARE TUBES

DIE NO.	b	s	R	r	WEIGHT G/M	REMARKS
20131	80	1.5			1272	
20121	80	2			1685	
20112	80	3			2495	
20179	80	3	0.3	0.3	2495	
20115	80	4			3283	
20194	80	5			4050	
20191	80	6			4795	
20195	90	4			3715	
20130	90	5	3		4568	
20126	100	2			2117	
20141	100	3			3143	
20180	100	4	0.3	0.3	4147	
20193	100	5			5130	
20171	100	6	4	1	6056	
H0138	100	6			6091	
H0125	100	12.5		12.5	11451	
20156	101.6	1.5			1623	
20127	105	2			2225	
H0104	120	2.5			3173	
20174	120	5	2		6202	
20190	120	5			6210	
20172	120	9	10	3	10579	
H0136	150	2.5			3983	
20157	150	3			4763	
20189	150	5			7830	
20188	150	5.5			8383	
H0134	150	12.5			17884	


**RECTANGULAR TUBES**

DIE NO.	a	b	s	r	R	WEIGHT G/M	REMARKS
20442	15	10	1.5			178	
20489	20	8				259	
20264	20	10	1.2			178	
20370	20	10	2			281	
20361	20	15	2			335	
20215	20.5	6	1.5		1	190	
20417	22.7	13	2.5	1.5	1.5	413	
20418	22.7	21.3	3	1.5	1.5	616	
20369	24	18	1.2	2.3	3.5	240	
20500	25	10	2			335	
20497	25.4	50.8	0.9			362	
20246	27	19.5	1.5			354	
200004	28.5	78.5	2			1134	
20490	30	13.5				767	
20214	30	15	1.5			340	
20371	30	15	2			443	
20270	30	20	1.2	1.3	2.5	300	
20484	30	20	1.5			381	
20201	30	20	2	0.4	0.4	500	
20289	34	19	1.5			405	
20271	35	20	1.2	1.3	2.5	332	
20265	36	18	1.2			335	
20499	38.1	25.4	0.9			332	
20386	38.1	25.4	3.2			986	
20402	38.5	18.5	1.95		2	551	
20407	39.4	5.3	1.1			254	
20327	40	5.8	1.3		1	300	
20438	40	15	1.5			421	




RECTANGULAR TUBES

DIE NO.	a	b	s	r	R	WEIGHT G/M	REMARKS
20375	40	15	2			551	
20211	40	16	2	0.4	0.4	562	
20413	40	20	1			313	
20427	40	20	1			313	
20320	40	20	1.1			343	
20231	40	20	1.2			373	
20293	40	20	1.2			372	
20232	40	20	1.3			402	
20219	40	20	1.5			462	
20429	40	20	1.8			548	
20454	40	20	1.8			548	
20202	40	20	2	0.4	0.4	605	
20288	40	20	2			605	
20400	40	20	2		2	597	
20367	40	20	2.5			743	
20439	40	20	2.8			824	
20383	40	20	3			875	
20395	40	20	4			1123	
20364	40	25	2			659	
20334	40	30	2	0.3	0.3	713	
20396	40	30	2.5			878	
20341	40	30	3	0.3	0.3	1037	
20335	40	30	4	0.3	0.3	1339	
20406	40	30	4			1339	
20332	40	37	3	0.8	2	1142	
200002	40.3	60.3	1.1			581	
20493	50	11.4	1			321	
20376	50	15	2			659	




RECTANGULAR TUBES

DIE NO.	a	b	s	r	R	WEIGHT G/M	REMARKS
20428	50	20	1.8			645	
20203	50	20	2	0.4	0.4	720	
20389	50	20	2		2	705	
20401	50	20	3			1037	
20305	50	25	1.2			470	
20243	50	25	1.4			545	
20456	50	25	1.8			694	
20336	50	25	2	0.3	0.3	767	
20312	50	25	3			1118	
20306	50	28	3			1166	
20283	50	30	2			821	
20333	50	30	2	0.3	0.3	821	
20342	50	30	3	0.3	0.3	1199	
20377	50	40	2			929	
20325	50	40	2.5		5	1104	
20394	50	40	2.5			1148	
20343	50	40	3	0.3	0.3	1361	
20384	50	40	4			1771	
200003	50	122	2			1814	
20310	50.8	25.4	3.25			1223	
20350	57.2	22	1.5	2.5	4	645	
20273	60	20	2			821	
20237	60	25	1.4			621	
20392	60	25	3			1280	
20304	60	30	1.2			567	
20244	60	30	1.4			659	
20204	60	30	2	0.4	0.4	928	
20351	60	30	3			1361	




RECTANGULAR TUBES

DIE NO.	a	b	s	r	R	WEIGHT G/M	REMARKS
20205	60	40	2	0.4	0.4	1037	
20399	60	40	2		2	1029	
20372	60	40	2.5			1283	
20260	60	40	3	0.4	0.4	1523	
20345	60	40	4			1987	
20352	60	50	3			1685	
20321	70	12	1.1			475	
20487	70	35	1			556	
20366	70	35	2			1091	
20206	70	40	2	0.4	0.4	1145	
20421	70	46.5	2.5			1507	
20322	75	35	1.1			640	
20498	76.2	25.4	1			537	
20387	76.2	38.1	3.2			1866	
20388	76.2	50.8	3.2			2084	
20226	76.5	53.5	2			1361	
20432	78	35	1			599	
20423	78	38	1.1			675	
20453	80	15	0.8			402	
20303	80	15	1.25			624	
20319	80	20	1.1			581	
20258	80	20	1.2			632	
20298	80	20	1.3			683	
20241	80	20	1.4			734	
20475	80	20	1.85			961	
20353	80	20	2			1037	
20207	80	25	2	0.5	0.5	1090	
20363	80	30	2			1145	


**RECTANGULAR TUBES**

DIE NO.	a	b	s	r	R	WEIGHT G/M	REMARKS
20381	80	30	3			1685	
20441	80	38	1			624	
20479	80	40	0.9			575	
20426	80	40	1			637	
20316	80	40	1.1			699	
20254	80	40	1.2			761	
20295	80	40	1.2			761	
20234	80	40	1.3			824	
20233	80	40	1.5			948	
20218	80	40	1.7			1070	
20447	80	40	1.8			1131	
20208	80	40	2	0.4	0.4	1253	
20430	80	40	2.5			1553	
20476	80	40	2.8			1731	
20358	80	40	3			1847	
20348	80	40	4			2419	
20259	80	50	1.4			961	
20287	80	50	3			2009	
20346	80	50	4			2635	
20216	80	60	2.5	1	3	1796	
20382	80	60	3			2171	
20368	80	60	4			2851	
20483	80	65	4			2959	
20440	95	38	1			707	
20422	95	38	1.1			778	
20420	98	45.5	2.5			1868	
20450	100	15	1			610	
20318	100	15	1.1			670	




RECTANGULAR TUBES

DIE NO.	a	b	s	r	R	WEIGHT G/M	REMARKS
20299	100	15	1.3			788	
20277	100	15	1.5			907	
20501	100	15	1.6			967	
20223	100	18	2			1231	
20317	100	20	1.1			699	
20257	100	20	1.2			761	
20255	100	20	1.3			824	
20236	100	20	1.4			886	
20397	100	20	2			1253	
20278	100	22	3			1844	
20252	100	25	1.3			859	
20380	100	30	3			2009	
20451	100	40	1.1			824	
20267	100	40	1.2			891	
20315	100	40	1.2			891	
20416	100	40	1.25			929	
20296	100	40	1.3			964	
20294	100	40	1.4			1037	
20239	100	40	1.5			1110	
20449	100	40	1.8			1326	
20209	100	40	2	0.5	0.5	1469	
20391	100	40	2.5			1809	
20362	100	40	3			2171	
20354	100	40	4			2851	
20409	100	44	2			1512	
20224	100	45	1.8			1374	
20302	100	50	1.2			956	
20242	100	50	1.5			1191	


**RECTANGULAR TUBES**

DIE NO.	a	b	s	r	R	WEIGHT G/M	REMARKS
20435	100	50	1.8			1423	
20210	100	50	2	0.4	0.4	1577	
20355	100	50	2			1577	
20431	100	50	2.5			1958	
20433	100	50	2.8			2184	
20324	100	50	3			2333	
20434	100	50	3.3			2554	
20307	100	50	3.45			2665	
20337	100	50	4	0.3	0.3	3067	
20411	100	50	5			3780	
20455	100	60	3.8			3127	
20292	100	60	4			3283	
20338	100	60	4	0.3	0.3	3283	
20425	100	70	3			2657	
20436	100	80	4.7	5	5	4331	
20492	100	100	2.5			3983	
20491	100	200	3			4763	
20311	101.6	50.8	3.25			2560	
20221	102	60	2			1706	
20480	105	26	2.75		1	1860	
20227	105	50	2			1631	
20256	105	55	1.5			1272	
20235	105	55	2			1685	
20414	110	100	3			3305	
20308	114	51	3			2576	
20275	118	56.5	3	1	4	2695	
20250	120	20	2			1469	
20347	120	20	2			1469	
20398	120	20	2			1469	



RECTANGULAR TUBES


DIE NO.	a	b	s	r	R	WEIGHT G/M	REMARKS
20276	120	22	3	1	4	2168	
20393	120	30	2			1277	
20410	120	30	3			2333	
20291	120	40	1.6			1355	
20300	120	40	2.2			1850	
20344	120	40	4	0.3	0.3	3283	
20385	120	50	4			3499	
20448	120	50	4.6			3993	
20290	120	60	2			1901	
20339	120	60	4	0.3	0.3	3715	
20468	120	65	2			1955	
20486	120	65	2			1955	
20228	120	70	3			2981	
20301	120	80	2			2149	
20390	120	80	3			3143	
20240	120	80	8	4	8	7838	
20424	125	56	1.6			1536	
20469	127.6	49	2.2			2046	
20329	135	20	2			1631	
20477	140	20	2			1685	
20284	140	40	2			1901	
20220	140	44.5	3			2892	
20478	140	50	2			2009	
20340	140	80	4	0.3	0.3	4579	
20261	140	100	3			3791	
20481	145	50	4.6			4614	
20253	150	20	1.5			1353	

**RECTANGULAR TUBES**

DIE NO.	a	b	s	r	R	WEIGHT G/M	REMARKS
20482	150	40				2009	
20360	150	40	4			3931	
20251	150	50	2			2117	
20222	150	50	3		1	3140	
20378	150	50	4			4147	
20313	150	70.7	3			3478	
20285	150	100	3		1	3950	
20474	170	160	3			5249	
20419	177	56	2			2473	
20365	180	50	4			4933	
20495	186	86	10			13608	
20488	190	20	2.3			2552	
20359	200	33	2			2473	
20238	200	45	3			3872	
200001	200	50	2			2657	
20446	200	50	2.2			2919	
20356	200	50	4			5227	
20415	200	70	3			4277	
20349	200	80	4			5875	
20473	200	100	2.2			3513	
20357	200	100	4			6307	
20496	200	100	6			9331	
20225	230	100	3.5		6	6021	
20331	255	50	2.5			4050	
20485	280	50	4			6955	
20494	300	100	4			8467	

بج

بج
BALEX



بلكسكو
BALEXCO

Bahrain Aluminium Extrusion Company (Balexco)

Head Office, Sitra

P.O.Box 1053, Manama, Kingdom of Bahrain

Tel.: +973 17730073, +973 17734459

Fax: +973 17736928/29, +973 17736517

Email: blxsales@balexco.com.bh

Website: www.balexco.com.bh

BALEXCO, Salmabad

Tel.: +973 17877110

Fax: +973 17789088

Dubai Office

P.O.Box 121825, Al Walid Building

Office No. 405, 4th Floor, Rolla Street,

Bur Dubai, U.A.E.

Tel.: +971 4 3931962

Fax: +971 4 3936637

Email: balexco@emirates.net.ae

Saudi Arabia Office

Saudi Bahraini Aluminium Extrusion Co.

P.O. Box 440, Riyadh 11391,

Kingdom of Saudi Arabia

Tel.: +966 1 2442060

Fax: +966 1 2441091